



PLEASE NOTE THAT WE HAVE A NUMBER OF MODELS WITH INSTALL VIDEOS ON GOOGLE VIDEO. SEARCH UNDER "WIND DEFLECTOR"

WIND DEFLECTOR MUSTANG 1994 TO 2004

TO SHIP YOUR WIND DEFLECTOR WE NEEDED TO ROTATE YOUR FRONT BRACKETS. REMOVE THE THREE SCREWS FROM THE PLASTIC ON EACH SIDE. YOU DO NOT HAVE TO REMOVE THE SCREW IN THE BRACKET

TURN THE BRACKET SO IT FACES OUT. SAME AS IN THE PHOTO. ONCE THE BRACKET IS IN THE CORRECT POSITION REPLACE THE THREE SCREWS. REPEAT ON OTHER SIDE. TURN BRACKET AND REPLACE SCREWS



START BY PLACING YOUR HAND UNDERNEATH THE FRONT STRAP



PULL YOUR HAND BACK AND THERE BY SHOWING THE HOLE WHERE YOU WILL PLACE THE FRONT BRACKET



LOWER THE FRONT BRACKET ON ONE SIDE INTO THE HOLE AND RELEASE THE STRAP REPEAT ON OTHER SIDE



IT IS VERY IMPORTANT THAT THE BRACKET SITS UNDER YOUR SEATBELT.



NEVER ALLOW THE BRACKET TO SIT ON TOP OF THE SEAT BELT



ONCE IN PLACE THE WIND DEFLECTOR WILL LOOK LIKE THIS



THERE ARE FOUR STRAPS FOR YOUR WIND DEFLECTOR. TWO SILVER HOOK STRAPS FOR THE FRONT AND TWO BLACK SNAP HOOKS FOR THE REAR




THE FRONT SILVER STRAPS ATTACH TO THE BOTTOM OF THE TRIM PANNEL BEHIND THE SEAT BELT RETRATOR AND ATTACHES TO THE STRAP BELOW THE FRONT BRACKET



THE BLACK SNAP HOOKS ATTACH TO THE BOTTOM OF THE TRIM PANNEL BESIDE THE REAR SEAT. THERE IS A SMALL SQUARE CUT OUT FOR THE HOOK



ONCE IN PLACE THE BLACK HOOK STRAP IS THEN ATTACHED TO THE REAR BRACKET



IF YOU HAVE A MUSTANG THAT WAS BUILT AFTER 2002 YOU WILL HAVE AN ANCHOR SYSTEM WHICH YOU CAN LOCK THE BLACK SNAP HOOKS INTO. NOTICE THE SMALL BABY SEAT LOGOS ABOVE THE ANCHORS. THESE STRAPS ARE FOR THE TWO REAR BRACKETS

